

MANUFACTURED FOR: GROWMARK, Inc. 2200 SOUTH AVE COUNCIL BLUFFS, IA 51503 800-798-6457

FS SYNTHETIC 75W-90

Safety Data Sheet

Emgard® FE 75W-90 Fuel Efficient Synthetic Gear Lubricant

Revision date: 2016/08/12 Page: 1/10
Version: 4.0 (30531852/SDS_GEN_US/EN)

1. Identification

Product identifier used on the label

Emgard® FE 75W-90 Fuel Efficient Synthetic Gear Lubricant

Recommended use of the chemical and restriction on use

Recommended use*: lubricants

Details of the supplier of the safety data sheet

Company:
BASF CORPORATION
100 Park Avenue
Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Chemical family: preparation

Synonyms: Proprietary synthetic gear lubricant

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Aquatic Acute 3 Hazardous to the aquatic environment - acute Aquatic Chronic 3 Hazardous to the aquatic environment - chronic

Label elements

Hazard Statement:

^{*} The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Emgard® FE 75W-90 Fuel Efficient Synthetic Gear Lubricant

Revision date: 2016/08/12 Page: 2/10
Version: 4.0 (30531852/SDS GEN US/EN)

H402 Harmful to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

P273 Avoid release to the environment.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to hazardous or special waste collection

point.

Hazards not otherwise classified

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

CAS Number 90-30-2 Weight % Chemical name 1-Naphthalenamine, N-phenyl-

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Wash thoroughly with soap and water.

If irritation develops, seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open. If irritation develops, seek medical attention.

If swallowed:

Rinse mouth and then drink plenty of water. Do not induce vomiting. Immediate medical attention required.

Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Further important symptoms and effects are so far not known.

Hazards: No applicable information available.

Indication of any immediate medical attention and special treatment needed

Emgard® FE 75W-90 Fuel Efficient Synthetic Gear Lubricant

Revision date: 2016/08/12 Page: 3/10
Version: 4.0 (30531852/SDS GEN US/EN)

Note to physician

Treat according to symptoms (decontamination, vital functions), no

known specific antidote.

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media: water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons: water jet

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:

Wear a self-contained breathing apparatus.

Further information:

The degree of risk is governed by the burning substance and the fire conditions. Contaminated extinguishing water must be disposed of in accordance with official regulations.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Keep people away and stay on the upwind side. Breathing protection required.

Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

For large amounts: Pump off product.

For residues: Pick up with suitable absorbent material. Dispose of absorbed material in accordance with regulations.

7. Handling and Storage

Precautions for safe handling

No special measures necessary provided product is used correctly.

Protection against fire and explosion:

No special precautions necessary.

Emgard® FE 75W-90 Fuel Efficient Synthetic Gear Lubricant

Revision date: 2016/08/12 Page: 4/10
Version: 4.0 (30531852/SDS GEN US/EN)

Conditions for safe storage, including any incompatibilities

No applicable information available.

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

Storage stability:

Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame.

The packed product is not damaged by low temperatures or by frost.

The packed product will not be damaged by high temperatures.

8. Exposure Controls/Personal Protection

No occupational exposure limits known.

Advice on system design:

No applicable information available.

Personal protective equipment

Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator.

Hand protection:

Chemical resistant protective gloves

Eye protection:

Safety glasses with side-shields.

Body protection:

Body protection must be chosen based on level of activity and exposure.

General safety and hygiene measures:

Wear protective clothing as necessary to minimize contact. Handle in accordance with good industrial hygiene and safety practice. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

Form: liquid

Odour: pungent odour

Odour threshold: No applicable information available.

Colour: amber
pH value: insoluble
Melting point: not determined
Boiling point: > 200 °C

Sublimation point: No applicable information available.

Flash point: 215 °C

Flammability: not flammable

Lower explosion limit: For liquids not relevant for

classification and labelling. The lower explosion point may be 5 - 15 °C

(ASTM D92)

below the flash point.

Emgard® FE 75W-90 Fuel Efficient Synthetic Gear Lubricant

Revision date: 2016/08/12 Page: 5/10 Version: 4.0 (30531852/SDS GEN US/EN)

Upper explosion limit: For liquids not relevant for

classification and labelling.

Autoignition: not determined

Vapour pressure: The product has not been tested.

Density: 0.886 g/cm3

(15.6 °C) 0.850 g/cm3 (55 °C) 0.883 g/cm3 (20°C)

Vapour density: No data available.

Partitioning coefficient n-

octanol/water (log Pow):

Self-ignition

not self-igniting temperature:

Thermal decomposition: No decomposition if stored and handled as

prescribed/indicated.

<= 100,000.00 mPa*s Viscosity, dynamic: (ASTM D 2983)

Study scientifically not justified.

(-40.0 °C)

14.50 - 15.50 mm2/s Viscosity, kinematic: (ASTM D445)

(100°C)

Solubility in water: insoluble

Solubility (quantitative): No applicable information available. Solubility (qualitative): No applicable information available. Evaporation rate: Value can be approximated from Henry's Law Constant or vapor

pressure.

Other Information: If necessary, information on other physical and chemical

parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No applicable information available.

Corrosion to metals:

No corrosive effect on metal.

Oxidizing properties: not fire-propagating

Minimum ignition energy:

No data available.

Reactions with Reaction with:

water/air:

Flammable gases: no Toxic gases: no Corrosive gases: no

water

Smoke or fog: no Peroxides:

Emgard® FE 75W-90 Fuel Efficient Synthetic Gear Lubricant

Revision date: 2016/08/12 Page: 6/10 Version: 4.0 (30531852/SDS GEN US/EN)

Reaction with: air Flammable gases: no Toxic gases: no Corrosive gases: no Smoke or fog: no Peroxides: no

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Peroxides: 0.000 %

The product does not contain peroxides.

Possibility of hazardous reactions

No hazardous reactions when stored and handled according to instructions.

The product is chemically stable.

Conditions to avoid

No special precautions other than good housekeeping of chemicals.

Incompatible materials

oxidizing agents

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

11. Toxicological information

Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Primary routes of entry

Dermal contact.

Eyes Inhalation.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Of low toxicity after single ingestion.

Oral

Type of value: LD50

Species: rat

Value: > 2,000 mg/kg

Inhalation

Emgard® FE 75W-90 Fuel Efficient Synthetic Gear Lubricant

Revision date: 2016/08/12 Page: 7/10 Version: 4.0 (30531852/SDS GEN US/EN)

not determined

Dermal

not determined

Assessment other acute effects

No applicable information available.

Irritation / corrosion

Assessment of irritating effects: Not irritating to eyes and skin.

Skin

Species: rabbit Result: non-irritant

<u>Eye</u>

Species: rabbit Result: non-irritant

Sensitization

Assessment of sensitization: A sensitizing effect on particularly sensitive individuals cannot be

excluded.

Aspiration Hazard

No data available.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: None known

Genetic toxicity

Assessment of mutagenicity: Based on the ingredients, there is no suspicion of a mutagenic effect.

Carcinogenicity

Assessment of carcinogenicity: The whole of the information assessable provides no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity: Based on the ingredients, there is no suspicion of a toxic effect on reproduction.

Other Information

The product has not been tested. The statements on toxicology have been derived from the properties of the individual components.

Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11.

Further important symptoms and effects are so far not known.

12. Ecological Information

Toxicity

Emgard® FE 75W-90 Fuel Efficient Synthetic Gear Lubricant

Revision date: 2016/08/12 Page: 8/10 Version: 4.0 (30531852/SDS GEN US/EN)

Aquatic toxicity

Assessment of aquatic toxicity:

Acutely harmful for aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Toxicity to fish LC50 > 10 - 100 mg/l

Microorganisms/Effect on activated sludge

Toxicity to microorganisms

EC0: > 100 mg/l

Persistence and degradability

Assessment biodegradation and elimination (H2O)

The product is virtually insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plants.

Bioaccumulative potential

Bioaccumulation potential No data available.

Mobility in soil

Assessment transport between environmental compartments

No data available.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

13. Disposal considerations

Waste disposal of substance:

Dispose of in accordance with national, state and local regulations. Do not discharge into drains/surface waters/groundwater.

It is the waste generator's responsibility to determine if a particular waste is hazardous under RCRA.

Container disposal:

Recommend crushing, puncturing or other means to prevent unauthorized use of used containers. Dispose of in accordance with national, state and local regulations.

14. Transport Information

Land transport

USDOT

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Emgard® FE 75W-90 Fuel Efficient Synthetic Gear Lubricant

Revision date: 2016/08/12 Page: 9/10 Version: 4.0 (30531852/SDS GEN US/EN)

Not classified as a dangerous good under transport regulations

Air transport IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:

Chemical TSCA, US released / listed

EPCRA 311/312 (Hazard categories): Not hazardous;

CA Prop. 65:

WARNING: THIS PRODUCT CONTAINS A CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER.

NFPA Hazard codes:

Health: 1 Fire: 1 Reactivity: 0 Special:

HMIS III rating

Health: 1 Flammability: 1 Physical hazard:0 (Essentially no hazard)

16. Other Information

SDS Prepared by:

BASF NA Product Regulations SDS Prepared on: 2016/08/12

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Emgard® FE 75W-90 Fuel Efficient Synthetic Gear Lubricant is a registered trademark of BASF Corporation or BASF SE

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET

Emgard® FE 75W-90 Fuel Efficient Synthetic Gear Lubricant

Revision date : 2016/08/12 Page: 10/10 Version: 4.0 (30531852/SDS_GEN_US/EN)

FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK. Due to the merger of Cognis and BASF Group all (Material) Safety Data Sheets have been reassessed on the basis of consolidated information. This may have resulted in changes to the (Material) Safety Data Sheets. In case you have questions concerning such changes please contact us at the address mentioned in Section 1.

END OF DATA SHEET